

Handy Stripper

High-Precision Tool Ministrip



- Rotating head with 4-blade system
- Wire size range from 0,16 mm to 2,0 mm
- Stripping length up to 15 mm
- Fast and easy setup
- Mobile, no power supply
- Easy change of blades
- Suitable for Teflon and Kapton insulations



Stripping head



With retainer



Optional accessories

High-Precision Tool Ministrip



Options

- Centring unit

Description

It features a four-blade system, which provides accurate and exactly repeated stripping of cables.

The coating is removed by cutting with rotating blades and strip-off in one single step. This innovative procedure allows processing of **coax cables** as well as **Kapton and Teflon coated cables**. The high precision avoids damage to wires or dielectric. Precision blade diameter control with a micrometer scale, allows a quick set up of diameter.

The locking screw of the diameter adjusting system makes the tool available even for military applications (mil-spec). The high quality of the product guarantees a precise repetitiveness.

Range of Application

The MiniStrip is particularly suitable for mobile applications. For example Service Technicians are using this tool for maintenance and repair.

Examples of use

Stripping of coaxial cable with several insulations, also for military and aeronautical industry.

Technical Data

High-Precision Tool Ministrip

Supplies	
Power Supply	Not required
Compressed Air	Not required
Drive	Manual
Processable Wire	
Type Of Wire	Single wire, Jacket cable, Coax, etc.
Conductor	Fine braid, solid wire
Material Of Insulation	Teflon, PVC, Kynar, Kapton
Shielding Material	Copper, Stainless Steel
Cable Outer Diameter	Max. 2,5 mm
Wire Diameter	0,16 - 2,0 mm, AWG 12 - 34 [1]
Stripping Length	
Maximum	15 mm
Outer Jacket Stripping Length	
Minimum	Depending on material an type of wire
Partial Stripping	No
Incremental Stripping	No
Cutting Head	Rotary head
Number Of Stripping Blades	4
Resolution	
Diameter	Infinitely
Length	Infinitely
Scale	
Diameter	0,01 mm
Length	1,0 mm
Activation	Manual
Dimensions & Weight	
W x D x H	165 x 18 x 18 mm
Weight	0,09 kg

[1] Depending on material an type of wire

Sales and Service for Turkey



SAFF Makine Sanayi ve Dis Ticaret Ltd. Sti.

Hosdere Mevkii ISISO Sanayi Sitesi L Blok No:21/A

Buyukcekmece - Istanbul

Phone: +90 2126 2302 33-34

Fax: +90 2126 2302 35

Email: info@saff.com.tr

URL: www.saff.com.tr

Headquarters



Schäfer Werkzeug- und Sondermaschinenbau GmbH

Dr.-Alfred-Weckesser-Str. 6

76669 Bad Schönborn

Phone: +49 7253 9421-0

Fax: +49 7253 9421-94

Email: info@schaefer.biz

URL: www.schaefer.biz

**NEW PRODUCTS
FOR SEAL PROCESSING**



**VISIT
www.schaefer.biz**